

VEHICLE SAFETY & INSTALLATION SOLUTIONS

PRODUCT CATALOGUE

VISION / DETECTION / CONNECTION



CAMERA SYSTEMS



DIGITAL MIRRORS



SAFETY & DETECTION



HARNESSES & INTERFACES

Explore the range

01	Company	03	07	Digital mirrors	15
02	Obstacle detection	05	08	AI vision	19
03	Alarms	07	09	Specialty cameras	23
04	OEM camera relocation	09	10	Dash cameras	25
05	Camera systems	11	11	Harnesses	26
06	Cameras	13	12	Installation parts	31

PRODUCT ENQUIRIES

02 9439 9439

www.zorgindustries.net

orders@smartpark.net



COMPANY

About ZORG

03



Zorg Industries was founded in 1998 with a focus on being a solution provider through research & development.

Zorg Industries has grown to become a global leader in the development and manufacture of advanced slow manoeuvring safety solutions for all vehicle types. Zorg Industries currently supplies some of the largest distributors and car manufacturers at both aftermarket and ODM/OEM levels.

Zorg Industries now has offices in Australia, USA, United Kingdom, Hong Kong, China & India and has R&D and manufacturing facilities in China, India & USA. Zorg products are distributed worldwide. Zorg Industries is TS16949 and ISO9001 certified and our products are certified to all major standards (FCC, CE, E-Mark, RoHS, JASO etc..)

Product range

Products



Obstacle Sensing Systems

Obstacle Sensing Systems Designed for Heavy and Light Duty Vehicles



OEM LVDS Camera Relocation Kits

OEM Rear Camera Relocation Kits



Cameras

Rear, Front, and Side View Cameras



Monitors / Mirrors

Monitors for any application & Rearview Mirror/Monitor combinations



OEM Vehicle Wire Interface Harnesses

Camera and Power Interface Harnesses that connect directly to OEM wiring

Wireless Systems

Industrial Wireless Camera / DVR System

OBSTACLE DETECTION

Ultrasonic detection

05

Obstacle Sensing Systems

Front And Rear Compatible Obstacle Sensing Systems that have been designed and built specifically for Heavy Duty and Light Duty Truck/Vehicles. Object detection range of up to 8 feet ensures time and space to react before a collision occurs.

8101A - Heavy Duty



- Waterproof Module for Rear Mounting
- 8' Detection Range
- 45' extendable cable to Driver Compartment
- In or Under Bumper Mounting
- Digital Learning for vehicle mounted

PDC125PI



- System Allows 2 or 4 Sensor Operation
- Designed for Light to Medium Vehicle Applications
- Mounts in Plastic or Metal Bumpers

8101A accessories

PDC105PI-Basicrearonly4sensor Ultrasonic system w/ push-in style mount

PDC115PI-Rearonly4sensor Ultrasonic system w/ push-in style mount

8101ARubGrom - 8101A Rubber Grommet (set of 4)

8101ARubMnt - 8101A Rubber Mount (set of 4)


Testing and Specifications

All Sensing systems are testing in Zorg's own facility.

DOT and FMVSS standards are used as guidelines and testing generally exceeds the suggested level by 3 times.

Object Detection testing (shown to the right) is done using a 3" round PVC pole. The Patterns shown represent the detection pattern of a single sensor.

Complete testing results, specifications, and product details are available at our website.



OBSTACLE DETECTION

Blind spot detection

06

Obstacle Sensing Systems

9001 Blind Spot Object Detection System 9002 - Front & Rear
Change Lanes Safely in Any Utility or Large Vehicle.

- **No CAN/LAN Connection Required**
- **Compatible with Any Vehicle**
- **Right or Left Side Protection**
- **Visual and Audible Warnings**

The Zorg Blind Spot Monitoring System scans the area alongside the truck at all times and in all weather conditions. It will warn the driver, with visual and audible alerts to objects in the system's detection zone, and assist in preventing a collision when changing lanes or turning at intersections*



ALARMS

Reverse alarms

07

Back Up Alarms

Smart Park supplies a range of reverse beeper alarms. The cost effective range includes smart reversing alarms and squawkers.

Beeper

- RBA110 - 97db
- RBA220 - 87db
- RBA310-77-97db (Smart)



Standard RBA Housing

Squawkers

- RBA210 - 97db
- RBA230 - 102db
- RBA330 - 77-97db (Smart)
- RBA650 - 112,107,97 db



RBA650

ALARMS

Talking turning alarm

08

Industrial Talking Turning Alarm



RBA500

Features

Cost effective audio and visual safety alarm for urban CV turning applications.

Pre wired cable with triggers for left or right turning applications

Multi voltage DC12 ~36V Low current draw

LED warning light on activation

Compact design with universal mounting bracket

Safety orange ABS plastic housing

Epoxy nylon encapsulated

Waterproof: IP68

3 year warranty

OEM CAMERA RELOCATION

Installation in action

09



OEM CAMERA RELOCATION

LVDS camera relocation kits

10

OEM LVDS Camera Relocation Kits

4220 Universal 3rd Brake Lamp / LVDS Camera Relocation Kit



Camera options



4211 & 4241 Flush Mount Kit



Camera options



Today's Vehicles include upgraded camera systems that use a newer Camera technology called LVDS.

LVDS (Low-voltage differential signaling) Cameras are specifically designed for the original vehicle and its monitor screen. It is impossible to replace this type of camera with a traditional analog camera.

When Upfitting the vehicle with a utility body or other hardware, you may need to move the existing camera or even replace it. Our kits include everything required to re-locate the OEM LVDS camera from a tailgate to a utility body to retain all OEM screen views, options, and image quality in standard or 360-degree systems.

Additionally, Zorg designed the LVDS cable so that ONLY ONE universal LVDS cable style is required for use with any LVDS tailgate camera (instead of the multiples required by other vendors). This design reduces required SKUs and stocking headaches. The cable and housing kits minimize labor time associated with LVDS camera relocation. Zorg North America also stocks OEM LVDS cameras when a customer may not want to remove the original camera from the tailgate. CHMSL Lamp / Camera combinations are licensed under US Patent 7,609,961

CAMERA SYSTEMS

5-inch camera systems

11

Camera Systems

CC503



- High resolution LCD monitor
- Expandable 3 channel camera input
- Heavy duty U shape mounting bracket
- Sony CCD image sensor
- IR night vision capability
- Remote control included
- Mirror and normal image switch function
- 5" Commercial Monitor and Camera System
- Order code: CCS503
- Programmable parking guidelines
- Built-in microphone and sound capability
- Wide voltage input: DC 10V – 32V
- Waterproof camera: IP69K
- Complete plug and play solution
- Three Year Warranty

CCS562



- Heavy duty metal housing
- CMOS image sensor
- 100% waterproof (IP68/IP69)
- Inbuilt microphone
- IR night vision capable
- Adjustable sunshield
- Digital high resolution LCD monitor
- 1 or 2 camera inputs
- Adjustable sunshield included
- Multiple languages in menu
- Complete plug and play harness included
- Three Year Warranty

CAMERA SYSTEMS

7-inch camera systems

12

CCS702



- Heavy duty metal housing
- CMOS image sensor
- 100% waterproof (IP68/IP69)
- Inbuilt microphone
- IR night vision capable
- Adjustable sunshield
- Digital high resolution LCD monitor
- 1 or 2 camera inputs
- Adjustable sunshield included
- Multiple languages in menu
- Complete plug and play harness included
- Three Year Warranty

CCS703



- High resolution LCD monitor
- Expandable 3 channel camera input
- Heavy duty U shape mounting bracket
- Sony CCD image sensor
- IR night vision capability
- Remote control included
- Mirror and normal image switch function
- 7" Commercial Monitor and Camera System
- Order code: CCS703
- Programmable parking guidelines
- Built-in microphone and sound capability
- Wide voltage input: DC 10V – 32V
- Waterproof camera: IP69K
- Complete plug and play solution
- Three Year Warranty

CAMERAS

Wireless system & cameras

13

CCS714WHD



- 7" LCD colour monitor with HD 1024 x 600P high resolution display
- Expandable 4/2/1 channel camera input
- Wireless range of up to 200m transmission distance (line of sight)
- Automatic pairing function of monitor & camera(s)
- Night-vision function (IR) 7" monitor with inbuilt DVR
- SD card data storage
- Quad, split or single screen display
- Mirror and normal image switch available
- Programmable parking guidelines
- Built-in microphone and sound capability
- Wide voltage input: DC 9V – 36V
- Waterproof: IP68
- Vibration: 10G
- Loudspeaker
- Two year warranty

Cameras

Zorg Cameras are engineered to handle the tough, day-to-day demands of Australian commercial vehicles. Every unit is rigorously tested to meet — and exceed — local road-safety and durability standards, ensuring your fleet stays operational and on the road longer.

Standard Features:

- 4 Pin HD Aviation Standard Connectors
- 18" Wire Harness
- 6 - 24 Volt Operation
- IP68/69 Rated
- 3 Year Warranty
- UV Inhibited Cables
- Select-able Image (Reverse/Standard)*
- Parking Lines*
- Aluminum Housings
- DOT Certification
- Programmable viewing Angles*
- Up to 190 Degree viewing Angle*

* See Camera specifications for specific model details

CAMERAS

Commercial cameras

14

CAM158/CAM158W



1280 x 732 High Definition Imager 140 Degree Viewing Angle 6 High Output IR LED Assist for Night Time Use Selectable Park Lines (On / Off) Green Loop Selectable Reverse Image (Blue Loop) Built-in Microphone Powder Coated Aluminum Housing 45cm Cable with Sealing Grommet Built In Noise Reduction Circuitry Three year warranty

CAM145



1280 x 732 High Definition Imager 140 Degree Viewing Angle 5 High Output IR LED Assist for Night Time Use Low Profile Design for Side Mount Applications Powder Coated Aluminum Housing 45cm Cable with Sealing Grommet Built In Noise Reduction Circuitry Three year warranty

Wired & wireless cameras

CAM150WHD



HD1080P high resolution, super wide angle lens Wireless range of up to 200m transmission distance (line of sight)
Automatic pairing function of monitor & camera(s) Night-vision function (IR) Mirror and normal image switchable Built-in microphone Wide voltage input: 9V ~ 36V system Waterproof: IP69K Vibration: 10G Firm structure: aluminum-alloy housing, anti-UV surface painting Angle adjustable Two year warranty

CAM150



Heavy duty metal housing Mega Pixel CMOS image sensor 100% waterproof (IP68/IP69)
Inbuilt microphone IR night vision capable
IP68K waterproof rating Heavy duty housing 3 year warranty

DIGITAL MIRRORS

Digital mirror monitors

16

Digital Mirror Monitors

LCDM960DC



)
lt-
cy

- 9.66" high definition full display screen
- Dual front & rear 1080p recording cameras
- 140° wide viewing angle
- Touch frame technology
- Multiview display options
- Includes dual mounting options (internal or external) for rear camera
- Parking mode
- Night mode
- G Sensor
- Built in super capacitor
- Automatic reverse activation
- WIFI connected for file downloading and sharing
- Sound record function
- Live playback on screen
- Working Voltage 12-24V
- 3 year warranty
- *CAM960 or CAM960CV

Not Included

LCDM960



- 9.66" high definition full display screen
- Rear Camera Option - 140° wide viewing angle
- Touch frame technology
- Multi-view display options
- Optional rear camera
- Parking mode
- Night mode
- Built in super capacitor
- Automatic reverse activation
- Working Voltage 12-24V
- 3 year warranty
- *CAM960 or CAM960CV
- Not Included

DIGITAL MIRRORS

Mirror cameras & monitors

17

CAM960



Glass Mount/Standard Camera Designed for our LCDM960 & LCDM960DC Rear View Mirror.

CAM960CV



Commercial Camera Designed for our LCDM960 & LCDM960DC Rear View Mirror.

LCDM966



9.66" high definition full display screen
Rear Camera Option - 140° wide viewing angle
Multi-view display options
Optional rear camera
Parking mode
Night mode
Built in super capacitor
Automatic reverse activation
Working Voltage 12-24V
2 year warranty

LCDM966CV



DIGITAL MIRRORS

Vehicle mounting arms & adapters

18



K48A



K158A



K80A

PART NUMBER	VEHICLE / APPLICATION
LCD-ARM-K01A	ARM Suits MY24 and earlier Hilux, BT-50, DMAX (vehicles with Collision Sensor behind mirror)
LCD-ARM-K03	ARM suits VW & Skoda
LCD-ARM-K04	ARM suits Hyundai & Kia
LCD-ARM-K48A	ARM suits Ford Ranger XLT & Super Duty (+ Cab Chassis)
LCD-ARM-K158A	ARM suits Ford Ranger XL cab chassis
LCD-ARM-K80A	ARM suits Toyota Landcruiser
LCD-ARM-K159A	ARM suits Hino
LCD-ARM-K139A	ARM suits Peugeot
LCD-ARM-K193A	ARM suits BYD Shark 6
LCD-ARM-K43A	ARM suits Isuzu Trucks
LCD-ARM-AD1	Adaptor ARM- screws and torque tool for LCDM96 series
K80B-Adaptor Kit	Extension pieces for vehicles with Collision Sensor behind the mirror
LCD-ARM-K48B	ARM suits Ford Ranger XLT & Super Duty (+ Cab Chassis) (LCDM966 Series)
LCD-ARM-K158B	ARM suits Ford Ranger XL cab chassis (LCDM966 Series)
LCD-ARM-K80B	ARM suits Toyota Landcruiser (LCDM966 Series)
LCD-ARM-K193B	ARM suits BYD Shark 6 (LCDM966 Series)
LCD-ARM-AD3-W2	ARM Suits MY 26 Hilux, BT-50, DMAX, Tasman, Triton MV (vehicles with Collision Sensor behind mirror) MY26 (LCDM960DC)

AI VISION

CCS AI camera systems

19


CCS554AI / CCS754AI / CCS1054AI



AI blind spot detection for pedestrians and vehicles

Cameras recognise people and vehicles within a defined detection zone and provide visual and/or audible warnings. Suitable for commercial, heavy-duty, mining and agricultural applications.

SYSTEM CONNECTIONS



AI VISION

CCS AI features & specifications

20

SYSTEM	MONITOR	DISPLAY RESOLUTION
CCS554AI	5-inch	800 × 480
CCS754AI	7-inch	1024 × 600
CCS1054AI	10-inch	1024 × 600

MONITOR & SYSTEM

Camera inputs	Up to 4 channels (CAM1-CAM4); automatic or manual selection
Display modes	Quad, split or single screen; mirror / normal image
Recording	Inbuilt DVR; SD card storage up to 256GB
Detection	Human and vehicle detection; programmable BSD zones and alarm levels
Power / housing	DC 10-32V; aluminium-alloy housing; adjustable U-bracket
Protection	IP68; monitor operating temperature -20°C to +70°C
Warranty	3 years when installed by an authorised dealership; supplied SD card: 1 year

CAM158AI CAMERA

Image sensor	1/3-inch CMOS colour AHD; 1920 × 1080P
Viewing angle	150°
Low light	6m visibility at 0.1 Lux
Adjustment	Adjustable BSD detection alarm areas and mounting angle
Durability	IP68; 10G vibration; operating temperature -30°C to +75°C

Monitor resolutions follow the detailed specification table in the supplied manual (printed page 3).

AI VISION

AI cameras, display & recording

21



CAM158AI

AHD 1080P AI camera with 150° viewing angle.



CAM146AI

Optional commercial side-view AI camera.



CAM159AI

Optional ultra-wide-angle AI camera.



DVR242TB

Optional external DVR hard drive recorder.

VCD300 VISUAL & AUDIBLE DISPLAY



Supplied with the monitor / AI camera system. Supports a 10-second mute, high / middle / low alarm volume and human-only or human-and-vehicle warning modes.

Also supplied: monitor sunshade and bracket, power cable, extension cable, adaptor and trigger cables, installation kit and manual.

Extension cable options: 3m, 5m, 10m, 15m and 20m.

AI VISION

360-degree AVM system

22

360 AVM AI Camera System w/ DVR



AVM734AI

HD AVM Systems w/ AI object detection of vehicles and humans.

Provides complete surround view and multiple viewing options

Mega pixel CMOS image sensor

1% waterproof (IP67)

Operates in very low lighting conditions

Adjustable mounting viewing angle

Video storage - 2TB hard drive and SD card functionality.

3 year warranty



SPECIALTY CAMERAS

Lip mount & blind spot cameras

23



180 Degree HD Lip Mount Cameras

2402 - Inverted Image for Front or Rear Mounting

2403 - Standard Lip Mount

- 720P 1280*720 Image
- Chassis (29x33x27mm)
- Aluminum Alloy Chassis
- .01 Lux Low Light Vision
- UV Rated Poly Exterior and Molded Connectors
- Select-able Park Lines (On/Off) Green Loop



160 Degree HD Lip Mount Camera Compatible with larger OEM Screens

2404 - Inverted View for side mounting

- 720P 652*504 Image
- Chassis (28x30x23mm)
- Aluminum Alloy Chassis
- .05 Lux Low Light Vision
- UV Rated Poly Exterior and Molded Connectors
- Select-able Park Lines (On/Off) Green Loop
- Reversible Image



2501 150 Degree View Blind Spot / Anywhere Camera

- 600TVL 976*592 Image
- 3M VHB Tape Backed Mounting
- Flexible Rubber Housing
- Lens Rotates 180 Degrees
- Chassis (48x30x22mm)
- UV Rated Poly Exterior and Molded Connectors
- Select-able Park Lines (On/Off) Green Loop
- Reversible Image

SPECIALTY CAMERAS

Licence plate cameras

24

180 Degree HD Lip Mount Cameras

2408 - 180 Degree License Plate Bracket Mount Camera

2407 - 180 Degree Hinge Mount Camera

- HD 720P 1280*720 Image
- Chassis (24x24x27mm)
- PVC Chassis
- IP69K Waterproof rated
- .01 Lux Low Light Vision
- UV Rated Poly Exterior and Molded Connectors
- Select-able Park Lines (On/Off)
- Reversible Image for Front or Rear Mounting
- Select-able Park Lines (On/Off) Green Loop



Zorg North America Exclusive

2201 Universal Thin Line 3rd Brake Lamp 150 Degree Camera (CHMSL)

Features

- Thin Line CHMSL W/150 Degree Viewing Angle HD Camera
- Provides an FMVSS 111 Compliant View From 30 Inches to 102 Inches Above Ground
- HD 800TVL High Resolution, 150 Degree Viewing Angle
- SAE / DOT / FMVSS Certified
- Select-able Mirror Image; Mirror/Standard (Blue Loop)
- Select-able Park Lines; ON/OFF Default is OFF(Green Loop)
- High Strength PVC Housing w/ Anti-UV Coating
- 12" Video Cable W/ 4 Pin Screw Lock Connector
- 40" Power Cable for CHMSL with plug, 3m Power Extension Wire
- Three Year Warranty
- Licensed Under US Patent 7,609,961

DASH CAMERAS

4K dash cameras

25

Dash Cams

**DC3500 - 4K Forward Barrel Style Dash Cam w/ 128GB
(up to) SD Card Slot**



**DC3600 - 4K Forward Barrel Style Dash Cam
w/128GB (up to) SD Card Slot + Rear Camera
& extension Cable**



HARNESSES

Power & lighting harness kit

26

10-460_01




PLUG AND PLAY POWER, CENTRAL LOCKING AND LIGHTING EXTENSION HARNESS KIT

Installation	No wire splicing required except the actuator connection.
Connections	OEM-quality connectors and terminals for a watertight connection.
Protection	One packet of dielectric grease included to protect against water and corrosion.
Length / relay	7.3m harness; waterproof epoxy-sealed 20 Amp relay.
Compatibility	Compatible with ZORG E-Lock Plug and Play solutions for most OEM LVC models.
Outputs	2-pin DT with wire extension for actuator harness connection; auxiliary power for interior lighting.

HARNESSES

E-Lock harnesses

27



PLUG AND PLAY CENTRAL LOCKING

PART NUMBER	APPLICATION
02-401_2	2024+ Ford Ranger & VW Amarok
02-402_1	2011-2022 Ford Ranger PX & Mazda BT-50
02-409	2023 Ford Super Duty
03-401_1	2022+ Isuzu D-MAX & Mazda BT-50
03-402_2	2022+ Isuzu D-MAX & Mazda BT-50 - extended 2m
04-401_2	2021+ Mitsubishi Triton
04-402_1	2015-2023 Mitsubishi Triton MQ
07-401_2	2024+ Toyota Hilux
11-401_2	2024+ BYD Shark 6
12-401_1	2025+ Kia Tasman
10-R120_1	Central locking relay (20 Amp) module

HARNESSES

Specialty harnesses & connectors

28

Specialty Harnesses and Connectors

7 Pin Extension


30' Body Main Harness

GM UpFitter
Switch Conn



Power brake harness

Power Brake Ground T-Harness



GM 45-6500

Chassis Connect



At Zorg we are continually adding new products to our line-up. We are also available to work directly with our customers to develop new solutions.

HARNESSES

OEM vehicle interface harnesses

29

OEM Vehicle Wire Interface Harnesses

Zorg North America Designs, builds, and supplies OEM Grade wire harness products for the Up-fitter.

Our Solutions Include.

- Camera Interface Harnesses
- Utility Body / Cap Power Interface Harnesses For CHSML & Power Locks
- UP-Fitter Switch Connections
- Trailer Connect Extensions
- Customer Harnesses per the customers requirements.

Vehicle Brands: General Motors, Ford, Ram, Toyota, Jeep, Nissan and Universal Applications.

Camera Interconnect Harnesses Feature :

- OEM Connectors
- 20Ga Wire
- UV Resistant Cable
- All Cavities are sealed to be waterproof
- All are packed with a package of Protective Dielectric Grease



See Our Website or ask your Sales Mgr for the latest list of Applications.

HARNESSES

Body harnesses & adapters

30

Body Harness / Adapters

CM Body, Knapheide, Reading Body, We have body adapters for most major body brands, chassis side connectors, and pigtails available too.



INSTALLATION PARTS

Video cables & installation parts

31

Video Cables and Installation Parts

Heavy Duty Video/Audio Extension Cables.



Available in Length from 2m to 20m all Zorg extension harnesses are built for rough service environments.

Features:

- Aviation 4 Pin Water Tight Connectors
 - UV Resistant Jacket and molded connectors
 - 22ga Stranded Copper Wire
 - Nitrile O-Rings
- PL- 3WPB
 - PL- 5WPB
 - PL-10WPB
 - PL-15WPB
 - PL- 20WPB

Video/Audio Cable Adapters / Parts



Parts



Adapters



Converters

A full line of installation parts are available including Harness adapters to convert, adapt, modify, or build a custom solution for vehicle safety.



Phone - 919-589-5358 Website: www.zorgindustries.net

Orders: Orders@zorg-na.com Contact/Support: Contact@zorg-na.com

12/2025



EXPLORE THE COMPLETE RANGE



ADAPTERS • EXTENSIONS • CABLES



MONITORS • CAMERAS • CABLES



OEM relocation kits
Cameras & monitors
Adapters & extensions
Installation solutions

LET'S TALK VEHICLE SAFETY

02 9439 9439

orders@smartpark.net

www.zorgindustries.net